



MARCO GENUINE PARTS CO.,LTD

Add:No.60,Gangde Rd Dagang Industrial Zone Songjiang,Shanghai,China



Tel:0086 21 57852595 ; Fax:0086 21 57854619

7V Series



| | | |
|---|---|--|
|  | <p>Model: 7V16 Clutch: 119/PV6 Voltage: 12V Cylinder Head: VQD Refrigerant: R134a Displacement: 34.5-154.8 OEM No: 1100, 1137, 1H0820803D, WO1H0820803D, 95NW19D629CB, 95NW19D629CC, 7M0820803D</p> | <p>Application: VW CADDY II, GOLF III, POLO, PASSAT4, SHARAN, VENTO; FORD GALAXI; SEAT ALHAMBRA, AROSA, CORDOBA, IBIZA, INCA, TOLEDO</p> |
|  | <p>Model: 7V16 Clutch: 119/PV6 Voltage: 12V Cylinder Head: VQL Refrigerant: R134a Displacement: 34.5-154.8 OEM No: 1206, 1J0820803A, 1J0820805, 7M0820803R, WO1J0820803A</p> | <p>Application: AUDI A3, TT/ SEAT TOLEDO / SKODA OCTAVIA/ VW GOLF IV, BORA, NEW BEETLE, POLO III</p> |
|  | <p>Model: 7V16 Clutch: 119/PV6 Voltage: 12V Cylinder Head: VQS Refrigerant: R134a Displacement: 34.5-154.8 OEM No: 1233, 1215, 1278, 1J0820805, 1J0820803F,1J0820803K,WO1J0820803F</p> | <p>Application: VW BORA, NEW BETTLE, POLO, SHARAN; AUDI A3, SEAT CORDOBA, IBIZA, INCA, LEON, TOLEDO;SKODA OCTAVIA</p> |
|  | <p>Model: 7V16 Clutch: 119/PV7 Voltage: 12V Cylinder Head: VQL Refrigerant: R134a Displacement: 34.5-154.8 OEM No: 1216, 7M0820803S</p> | <p>Application: AUDI A4, VW SHARAN</p> |
|  | <p>Model: 7V16 Clutch: 128/PV6 Voltage: 12V Cylinder Head: VQS Refrigerant: R134a Displacement: 34.5-154.8 OEM No: 1207, 7D0820805C</p> | <p>Application: VW CARAVELLE, TRANSPORTER; VW T4 & LT</p> |
|  | <p>Model: 7V16 Clutch: 119/PV6 Voltage: 12V Cylinder Head: VQA Refrigerant: R134a Displacement: 34.5-154.8 OEM No: 1106, 6453L5, 6453FE, 9613260680</p> | <p>Application: FIAT SCUDO, ULISSE; CITROEN BERLINGO, JUMP, SYNERGIE, XM, EVASION, PICASSO, XANTIA, XSARA; LANCIA ZETA MONOVOLUME; PEUGEOT 206,306,406,605, 806, EXPERT, PARTNER</p> |

| | | |
|---|--|--|
|  | Model: 7V16 Clutch: 119/PV7 Voltage: 12V Cylinder Head: VQR Refrigerant: R134a Displacement: 34.5-154.8 OEM No: 1102, 1138, 1163, 1105, 7M0820803C | Application: VW PASSAT B3, GOLF A3, TOLEDO S3 WITH VR6 ENGINE |
|  | Model: 7V16 Clutch: 119/PV6 Voltage: 12V Cylinder Head: VPK Refrigerant: R134a Displacement: 34.5-154.8 OEM No: 1267, 964540480, 9655421680, 1782502524 | Application: CITROEN C5, C8, JUMPY, XSARA; PEUGEOT 406, 607, 807 '02- |
|  | Model: 7V16 Clutch: 119/PV6 Voltage: 12V Cylinder Head: VSG Refrigerant: R134a Displacement: 34.5-154.8 OEM No: 1237, 9645306580 | Application: PICASSO 2.0 |

6V Series

| | | |
|---|---|--|
|  | Model: 6V12 Clutch: 119/PV6 Voltage: 12V Cylinder Head: VEB Refrigerant: R134a Displacement: 12-120 OEM No: SD1439, SD1438, SD1430, 6453FR, 6453LF, 9646273880 | Application: PEUGEOT 206/307, CITROEN C2 /BERLINGO, PARTNER |
|  | Model: 6V12 Clutch: 119/PV6 Voltage: 12V Cylinder Head: VEB Refrigerant: R134a Displacement: 12-120 OEM No: SD1449 | Application: CITROEN XS PICASSO 1.8l 16V |

5V Series




| | | |
|---|---|---|
|  | Model: 5V16 Clutch: 110/PV6 Voltage: 12V Refrigerant: R134a Displacement: 10-151 OEM No: 1135145, 1135283, 1135269 | Application: CHEVROLET IMPALA, LUMINA, MONTE CARLO; OLDSMOBILE CUTLASS; PONTIAC GRANT PRIX; BUICK CENTURY; BUICK REGAL |
|  | Model: 5V16 Clutch: 119/PV6 Voltage: 12V Refrigerant: R134a Displacement: 10-151 OEM No: 1854067, 1135292 | Application: OPEL FRONTERA, VECTRA B, OMEGA B |





| | | |
|---|---|---|
|  | Model: 5V16 Clutch: 126/PV6 Voltage: 12V Refrigerant: R134a Displacement: 10-151 OEM No: 1854043 | Application: OPEL OMEGA A3.0 |
|  | Model: 5V16 Clutch: 126/PV6 Voltage: 12V Refrigerant: R134a Displacement: 10-151 OEM No: 1854031 | Application: CHEVROLET , OPEL ASTRA A-F, NUBIRA, LEGANZA |
|  | Model: 5V16 Clutch: 125/PV6 Voltage: 12V Refrigerant: R134a Displacement: 10-151 OEM No: 1854032 | Application: OPEL CALIBRA A, CHEVROLET CORSA B, OPEL TIGRA, VECTRA A |
|  | Model: 5V16 Clutch: 119/PV6 Voltage: 12V Refrigerant: R134a Displacement: 10-151 OEM No: | Application: GM EXCELLE, CHEVROLET AVEO (凯越1.6) |
|  | Model: 5V16 Clutch: 110/PV6 Voltage: 12V Refrigerant: R134a Displacement: 10-151 OEM No: | Application: CHEVROLET OPTRA (凯越1.8) |
|  | Model: 5V16 Clutch: 120/PV6 Voltage: 12V Refrigerant: R134a Displacement: 10-151 OEM No: 5410, CO20452 | Application: REGAL PONTIAC |
|  | Model: 5V16 Clutch: 110/PV6 Voltage: 12V Refrigerant: R134a Displacement: 10-151 OEM No: 1884, CO20119 | Application: CHEVROLET LUMINA |








| | | |
|---|--|--|
|  | Model: 5V16 Clutch: 130/PV6 Voltage: 12V Refrigerant: R134a Displacement: 10-151 OEM No: | Application: BORA |
|  | Model: 5V16 Clutch: 110/PV6 Voltage: 12V Refrigerant: R134a Displacement: 10-151 OEM No: | Application: DAEWOO |
|  | Model: 5V16 Clutch: 125/PV5 Voltage: 12V Refrigerant: R134a Displacement: 10-151 OEM No: | Application: |
|  | Model: 5V16 Clutch: 120/PV6 Voltage: 12V Refrigerant: R134a Displacement: 10-151 OEM No: CO20192 | Application: PONTIAC CHEVROLET |
|  | Model: 5V16 Clutch: 120/PV6 Voltage: 12V Refrigerant: R134a Displacement: 10-151 OEM No: CO20076 | Application: OLDSMOBILE CUTLAS 2.8L 89-90, CHEVROLET CAVALIER 2.8L 89-89,3.1L 90-91 |
|  | Model: 5V16 Clutch: 130.5/PV6 Voltage: 12V Refrigerant: R134a Displacement: 10-151 OEM No: 1963 | Application: |
|  | Model: 5V16 Dyne No: 563838 Clutch: 128/PV5 Voltage: 12V Refrigerant: R134a Displacement: 10-151 OEM No: | Application: CHINESE |






| | | |
|---|--|--|
|  | Model: 5V16 Clutch: 125/PV6 Voltage: 12V Refrigerant: R134a Displacement: 10-151 OEM No: | Application: RENAULT MEGANE |
| | Model: 5V16 Clutch: 120/PV6 Voltage: 12V Refrigerant: R134a Displacement: 10-151 OEM No: CO20456 | Application: |
| | Model: 5V16 Clutch: 120/PV6 Voltage: 12V Refrigerant: R134a Displacement: 10-151 OEM No: CO20454, 58971 | Application: |

7H Series

| | | |
|---|---|--|
|  | Model: 7H15 Clutch: 132/AA Voltage: 12V Cylinder Head: JE Refrigerant: R134a Displacement: 154.9 OEM No: 8024,7863, 8220, 82011594 | Application: UNIVERSAL, NEW HOLLAND |
|  | Model: 7H15 Clutch: 132/AA Voltage: 24V Cylinder Head: JE Refrigerant: R134a Displacement: 154.9 OEM No: 8017, 7866, 8236 | Application: UNIVERSAL |
|  | Model: 7H15 Clutch: 125/AA Voltage: 12V Cylinder Head: FZ Refrigerant: R134a Displacement: 154.9 OEM No: 4663 | Application: UNIVERSAL, MITSUBISHI PAJERO |
|  | Model: 7H15 Clutch: 119/PV8 Voltage: 24V Cylinder Head: JE Refrigerant: R134a Displacement: 154.9 OEM No: 8086, 8240 | Application: UNIVERSAL |

| | | |
|---|--|--|
|  | Model: 7H15 Dyne No: 752927 Clutch: 130/PV6 Voltage: 12Vs Cylinder Head: 4440 Refrigerant: R134a Displacement: 154.9 OEM No: 4440, 1136519 | Application: GM CADILLAC ESCALADE; GM GMC CK SIERRA PICK UP, YUKON, SUBURBAN, SONOMA PICK UP, P3500 VAN, P35 VAN, JIMMY; CHEVROLET C/K PICKUP, CHEVROLET BLAZER,TAHOE, SUBURBAN, S10 PICKUP; OLDS MOBILE BRAVADA |
|  | Model: 7H15 Dyne No: 750406 Clutch: 119/PV8 Voltage: 12V Cylinder Head: JE Refrigerant: R134a Displacement: 154.9 OEM No: 8028, 8230 | Application: UNIVERSAL |
|  | Model: 7H15 Clutch: 119/PV6 Voltage: 12V Cylinder Head: JE Refrigerant: R134a Displacement: 154.9 OEM No: 7865, 8026, 8229 | Application: UNIVERSAL |
|  | Model: 7H15 Clutch: 132/AA Voltage: 24V Cylinder Head: CB Refrigerant: R134a Displacement: 154.9 OEM No: 7872 | Application: CTR / DIAVIA |
|  | Model: 7H15 Clutch: 119/PV8 Voltage: 12V Cylinder Head: CB Refrigerant: R134a Displacement: 154.9 OEM No: 7850, 7700756572 | Application: RENAULT 21, ALFA ROMEO 164, CLAAS |
|  | Model: 7H15 Clutch: 132/AA Voltage: 12V Cylinder Head: MD Refrigerant: R134a Displacement: 154.9 OEM No: 8019, 7877 | Application: UNIVERSAL |
|  | Model: 7H15 Clutch: 119/PV8 Voltage: 12V Cylinder Head: MD Refrigerant: R134a Displacement: 154.9 OEM No: 7822 | Application: UNIVERSAL |


| | | |
|---|--|---|
|  | Model: 7H15 Clutch: 132/AA Voltage: 24V Cylinder Head: MD Refrigerant: R134a Displacement: 154.9 OEM No: 7933 | Application: IVECO EUROCARGO, EUROSTAR, EUROTECH |
|  | Model: 7H15 Clutch: 132/AA Voltage: 12V Cylinder Head: MB Refrigerant: R134a Displacement: 154.9 OEM No: 7851 | Application: UNIVERSAL |
|  | Model: 7H15 Clutch: 119/PV8 Voltage: 12V Cylinder Head: MD Refrigerant: R134a Displacement: 154.9 OEM No: 7830 | Application: UNIVERSAL |
|  | Model: 7H15 Clutch: 119/PV8 Voltage: 12V Cylinder Head: KG Refrigerant: R134a Displacement: 154.9 OEM No: 7889 | Application: UNIVERSAL |
|  | Model: 7H15 Clutch: 119/PV8 Voltage: 12V Cylinder Head: KG Refrigerant: R134a Displacement: 154.9 OEM No: 8027加长轴 | Application: UNIVERSAL |
|  | Model: 7H15 Dyne No: 752703 Clutch: 119/PV8 Voltage: 12V Cylinder Head: QC Refrigerant: R134a Displacement: 154.9 OEM No: 4707 | Application: |
|  | Model: 7H15 Clutch: 119/PV8 Voltage: 24V Cylinder Head: KG Refrigerant: R134a Displacement: 154.9 OEM No: 8085 | Application: UNIVERSAL |



| | | |
|---|---|---|
|  | Model: 7H15 Clutch: 132/AA Voltage: 24V Cylinder Head: JE Refrigerant: R134a Displacement: 154.9 OEM No: 8061 | Application: UNIVERSAL |
|  | Model: 7H15 Clutch: 132/AA Voltage: 24V Cylinder Head: FZ Refrigerant: R134a Displacement: 154.9 OEM No: 7824 | Application: UNIVERSAL |
|  | Model: 7H15 Clutch: 125/AA Voltage: 24V Cylinder Head: GQ Refrigerant: R134a Displacement: 154.9 OEM No: 4696, 4426 | Application: |
|  | Model: 7H15 Clutch: 119/PV8 Voltage: 24V Cylinder Head: WK Refrigerant: R134a Displacement: 154.9 OEM No: 8067, 7890, 10575186, 1376998, 1412263 | Application: SCANIA 94/114/124/144/164 |
|  | Model: 7H15 Clutch: 125/PV6 Voltage: 24V Cylinder Head: GQ Refrigerant: R134a Displacement: 154.9 OEM No: 4792, 4425 | Application: |
|  | Model: 7H15 Clutch: 132/AA Voltage: 24V Cylinder Head: MB Refrigerant: R134a Displacement: 154.9 OEM No: 7871 | Application: UNIVERSAL |
|  | Model: 7H15 Clutch: 119/PV8 Voltage: 24V Cylinder Head: MD Refrigerant: R134a Displacement: 154.9 OEM No: 8144 | Application: |

| | | |
|---|--|--|
|  | <p>Model: 7H15 Clutch: 132/AA Voltage: 12V Cylinder Head: CB Refrigerant: R134a Displacement: 154.9 OEM No: 4643, 7849</p> | <p>Application: UNIVERSAL</p> |
|  | <p>Model: 7H15 Clutch: 132/AA Voltage: 12V Cylinder Head: FZ Refrigerant: R134a Displacement: 154.9 OEM No: 4426</p> | <p>Application:</p> |
|  | <p>Model: 7H15 Clutch: 125/PV6 Voltage: 12Vs Cylinder Head: 4815 Refrigerant: R134a Displacement: 154.9 OEM No: 4815, 4481</p> | <p>Application: NAVISTAR</p> |
| | <p>Model: 7H15 Clutch: 119/PV8 Voltage: 12Vs Cylinder Head: GH Refrigerant: R134a Displacement: 154.9 OEM No: 4818, 4417</p> | <p>Application: FREIGHTLINER MER 906LA/SER 60</p> |
| | <p>Model: 7H15 Clutch: 119/PV6 Voltage: 12V Cylinder Head: KC Refrigerant: R134a Displacement: 154.9 OEM No: 4727</p> | <p>Application: 99-96 CHRYSLER JEEP WRANGLER</p> |
| | <p>Model: 7H15 Clutch: 132/AA Voltage: 24V Cylinder Head: KG Refrigerant: R134a Displacement: 154.9 OEM No: 4742</p> | <p>Application: UNIVERSAL</p> |
| | <p>Model: 7H15 Clutch: 119/PV6 Voltage: 12V Cylinder Head: CB Refrigerant: R134a Displacement: 154.9 OEM No: 7868</p> | <p>Application: UNIVERSAL</p> |

| | | |
|---|---|---|
|  | Model: 7H13 Clutch: 132/AA Voltage: 12V Cylinder Head: JE Refrigerant: R134a Displacement: 129.2 OEM No: 7302 | Application: UNIVERSAL |
|  | Model: 7H13 Clutch: 119/PV5 Voltage: 12V Cylinder Head: SG Refrigerant: R134a Displacement: 129.2 OEM No: 7300/ 6453N3 | Application: CITROEN AX/ BERLING/ZX, PEUGEOT 106/205/306/PARTNER |
| | Model: 7H13 Clutch: 119/PV6 Voltage: 12V Cylinder Head: JE Refrigerant: R134a Displacement: 129.2 OEM No: 7304 | Application: UNIVERSAL |
| | Model: 7H13 Clutch: 125/A2 Voltage: 12V Cylinder Head: KG Refrigerant: R134a Displacement: 129.2 OEM No: 7301 | Application: UNIVERSAL |
| | Model: 7H13 Clutch: 119/PV8 Voltage: 12V Cylinder Head: JE Refrigerant: R134a Displacement: 129.2 OEM No: 7306 | Application: UNIVERSAL |
| | Model: 7H13 Clutch: 119/PV8 Voltage: 12V Cylinder Head: KG Refrigerant: R134a Displacement: 129.2 OEM No: 7305 | |

7B Series


| | | |
|---|---|---|
|  | Model: 7B10 Clutch: 115/AA Voltage: 12V Cylinder Head: PB Refrigerant: R134a Displacement: 99.8 OEM No: 7170 | Application: FIAT CINQUECENTO |
|---|---|---|



| | | |
|---|--|--|
|  | <p>Model: 7B10 Clutch: 112/PV6 Voltage: 12V Cylinder Head: PB Refrigerant: R134a Displacement: 99.8 OEM No: 7176</p> | <p>Application: SUZUKI, OPEL CORSA, FIAT</p> |
|  | <p>Model: 7B10 Clutch: 110/PV4 Voltage: 12V Cylinder Head: PB Refrigerant: R134a Displacement: 99.8 OEM No: 7171</p> | <p>Application: WULING</p> |

5H Series

| | | |
|---|--|--|
|  | <p>Model: 5H16 Clutch: 119/PV8 Voltage: 12V Cylinder Head: FL Refrigerant: R134a Displacement: 161 OEM No:</p> | <p>Application: UNIVERSAL</p> |
|  | <p>Model: 5H16 Clutch: 132/AA Voltage: 12V Cylinder Head: FL Refrigerant: R134a Displacement: 161 OEM No:</p> | <p>Application: UNIVERSAL</p> |
|  | <p>Model: 5H16 Clutch: 125/PV10 Voltage: 12V Cylinder Head: FG Refrigerant: R134a Displacement: 161 OEM No:</p> | <p>Application: UNIVERSAL</p> |
|  | <p>Model: 5H16 Clutch: 119/PV6 Voltage: 12V Cylinder Head: FG Refrigerant: R134a Displacement: 161 OEM No:</p> | <p>Application: UNIVERSAL</p> |
|  | <p>Model: 5H14 Clutch: 132/AA Voltage: 24V Cylinder Head: FL Refrigerant: R134a Displacement: 138 OEM No: 6627, 4506</p> | <p>Application: SCANIA 142-143 / MAN, PICKUP / TRUCK / SUV</p> |


| | | |
|---|---|---|
|  | Model: 5H14 Clutch: 119/PV7 Voltage: 12V Cylinder Head: K Refrigerant: R134a Displacement: 138 OEM No: 6628 | Application: UNIVERSAL |
|  | Model: 5H14 Clutch: 119/PV7 Voltage: 12V Cylinder Head: FL Refrigerant: R134a Displacement: 138 OEM No: 6629, 4514 | Application: UNIVERSAL |
|  | Model: 5H14 Clutch: 132/AA Voltage: 12V Cylinder Head: FL Refrigerant: R134a Displacement: 138 OEM No: 6626 | Application: UNIVERSAL |
|  | Model: 5H14 Clutch: 119/PV8 Voltage: 12V Cylinder Head: FL Refrigerant: R134a Displacement: 138 OEM No: 8396 | Application: UNIVERSAL |
|  | Model: 5H14 Clutch: 132/AA Voltage: 12V Cylinder Head: M Refrigerant: R134a Displacement: 138 OEM No: 6631 | Application: UNIVERSAL |
|  | Model: 5H14 Clutch: 132/AA Voltage: 12V Cylinder Head: C Refrigerant: R134a Displacement: 138 OEM No: 6642 | Application: UNIVERSAL |
|  | Model: 5H14 Clutch: 132/A2 Voltage: 24V Cylinder Head: FG Refrigerant: R134a Displacement: 138 OEM No: | Application: UNIVERSAL |

| | | |
|---|--|-----------------------------------|
|  | <p>Model: 5H14 Clutch: 119/PV8 Voltage: 24V Cylinder Head: KB Refrigerant: R134a Displacement: 138 OEM No:</p> | <p>Application: UNIVERSAL</p> |
| | <p>Model: 5H14 Clutch: 125/PV10 Voltage: 24V Cylinder Head: K Refrigerant: R134a Displacement: 138 OEM No: 6648</p> | <p>Application: UNIVERSAL</p> |
| | <p>Model: 5H14 Clutch: 125/PV10 Voltage: 12V Cylinder Head: FL Refrigerant: R134a Displacement: 138 OEM No: 4508, 6656</p> | <p>Application: UNIVERSAL</p> |
| | <p>Model: 5H14 Clutch: 125/PV10 Voltage: 24V Cylinder Head: FL Refrigerant: R134a Displacement: 138 OEM No: 6649</p> | <p>Application: UNIVERSAL</p> |
| | <p>Model: 5H14 Clutch: 119/PV8 Voltage: 12V Cylinder Head: C Refrigerant: R134a Displacement: 138 OEM No: 6667</p> | <p>Application: UNIVERSAL</p> |
| | <p>Model: 5H14 Clutch: 132/AA Voltage: 12V Cylinder Head: K Refrigerant: R134a Displacement: 138 OEM No: 6630</p> | <p>Application: UNIVERSAL</p> |
| | <p>Model: 5H14 Clutch: 132/AA Voltage: 24V Cylinder Head: M Refrigerant: R134a Displacement: 138 OEM No: 6632</p> | <p>Application: UNIVERSAL</p> |

| | | |
|---|---|---|
| | Model: 5H14 Clutch: 125/PV10 Voltage: 12V Cylinder Head: M Refrigerant: R134a Displacement: 138 OEM No: 4526 | Application: UNIVERSAL |
| | Model: 5H14 Clutch: 152/B Voltage: 24V Cylinder Head: BC Refrigerant: R134a Displacement: 138 OEM No: 6624 | Application: UNIVERSAL |
| | Model: 5H14 Clutch: 119/PV7 Voltage: 24V Cylinder Head: FL Refrigerant: R134a Displacement: 138 OEM No: 6652 | Application: UNIVERSAL |
| | Model: 5H14 Clutch: 119.6/PV6 Voltage: 12V Cylinder Head: JW Refrigerant: R134a Displacement: 138 OEM No: | Application: JW(捷达王) |
|  | Model: 5H11 Clutch: 125/AA Voltage: 12V Cylinder Head: FN Refrigerant: R134a Displacement: 108 OEM No: 6321 | Application: UNIVERSAL |
|  | Model: 5H11 Clutch: 119/PV8 Voltage: 12V Cylinder Head: FN Refrigerant: R134a Displacement: 108 OEM No: 6328 | Application: UNIVERSAL |
| | Model: 5H11 Clutch: 119/PV6 Voltage: 12V Cylinder Head: K Refrigerant: R134a Displacement: 108 OEM No: 6322 | Application: UNIVERSAL |

| | | |
|---|--|---|
| | Model: 5H11 Clutch: 125/A2 Voltage: 12V Cylinder Head: BC Refrigerant: R134a Displacement: 108 OEM No: 6325 | Application: UNIVERSAL |
|  | Model: 5H09 Clutch: 125/AA Voltage: 12V Cylinder Head: FN Refrigerant: R134a Displacement: 87 OEM No: 5072 | Application: UNIVERSAL |
|  | Model: 5H09 Clutch: 120/PV5 Voltage: 12V Cylinder Head: K Refrigerant: R134a Displacement: 87 OEM No: 5086 | Application: UNIVERSAL |
| | Model: 5H09 Clutch: 125/A2 Voltage: 12V Cylinder Head: C Refrigerant: R134a Displacement: 87 OEM No: 5071 | Application: UNIVERSAL |
| | Model: 5H09 Clutch: 125/A2 Voltage: 24V Cylinder Head: FN Refrigerant: R134a Displacement: 87 OEM No: 5073 | Application: UNIVERSAL |




10P Series

| | | |
|---|---|--|
| | Model: 10P08 Clutch: 119/PV6 Voltage: 12V Refrigerant: R134a Displacement: 80 OEM No: | Application: BRAZIL GOL/ PAKISTAN SUZUKI |
|  | Model: 10P08 Clutch: 117.5/A1 Voltage: 12V Refrigerant: R134a Displacement: 80 OEM No: | Application: BRAZIL GOL / PAKISTAN SUZUKI |

H6 Series








| | | |
|---|--|---|
|  | Model: H6 Clutch: 125/PV6 Voltage: 12V Refrigerant: R134a Displacement: 162 OEM No: CO20178 | Application: CADILLAC, CHEVROLET, PONTIAC, ROADMASTER, FLEETWOOD, CAMARO |
|  | Model: H6 Clutch: 141/PV6 Voltage: 12V Refrigerant: R134a Displacement: 162 OEM No: CO20210 | Application: |
|  | Model: H6 Clutch: 109/PV6 Voltage: 12V Refrigerant: R134a Displacement: 162 OEM No: 7658931 | Application: |
|  | Model: H6 Clutch: 109/PV6 Voltage: 12V Refrigerant: R134a Displacement: 162 OEM No: CO20109 | Application: |
|  | Model: H6 Clutch: 109/PV6 Voltage: 12V Refrigerant: R134a Displacement: 162 OEM No: CO20237 | Application: |
|  | Model: H6 Clutch: 125/PV6 Voltage: 12V Refrigerant: R134a Displacement: 162 OEM No: CO2912 | Application: CADILLAC DEVILLE V8-4.9 |
|  | Model: H6 Clutch: 125/PV6 Voltage: 12V Refrigerant: R134a Displacement: 162 OEM No: CO20034 | Application: OLDSMOBILE AURORA V8-4.0 |

| | | |
|---|---|---|
|  | Model: H6 Clutch: 141/PV6 Voltage: 12V Refrigerant: R134a Displacement: 162 OEM No: CO20051 | Application: OLDSMOBLE, PONTIAC LESABRE, PARK AVENUE, REGAL |
|  | Model: H6 Clutch: 109/PV6 Voltage: 12V Refrigerant: R134a Displacement: 162 OEM No: CO20110 | Application: |
|  | Model: H6 Clutch: 141/PV6 Voltage: 12V Refrigerant: R134a Displacement: 162 OEM No: CO20122 | Application: OLDSMOBLE, PONTIAC PARK AVENUE, DELTA, BONNEVILLE |
|  | Model: H6 Clutch: 125/PV6 Voltage: 12V Refrigerant: R134a Displacement: 162 OEM No: CO20177 | Application: ACURA, CADILLAC, ISUZU SLX, ALLANTE, CONCOURS |
|  | Model: H6 Clutch: 109/PV6 Voltage: 12V Refrigerant: R134a Displacement: 162 OEM No: CO20182 | Application: CHEVROLET, GMC ASTRO, SAFARI |
|  | Model: HT6 Clutch: 109/PV4 Voltage: 12V Refrigerant: R134a Displacement: 162 OEM No: CO20448 | Application: |
|  | Model: HT6 Clutch: 131/A1 Voltage: 12V Refrigerant: R134a Displacement: 162 OEM No: 7658936 | Application: |

| | | |
|---|--|---------------------|
|  | Model: H6 Clutch: 131/A1 Voltage: 12V Refrigerant: R134a Displacement: 162 OEM No: | Application: |
|  | Model: H6 Clutch: 109/PV6 Voltage: 12V Refrigerant: R134a Displacement: 162 OEM No: CO20208 | Application: |
|  | Model: H6T Clutch: 109/PV6 Voltage: 12V Refrigerant: R134a Displacement: 162 OEM No: | Application: |

10S Series

| | | |
|---|--|--|
|  | Model: 10S20C Clutch: 130/PV6 Voltage: 12V Refrigerant: R134a Displacement: 215 OEM No: | Application: HONDA ODYSSEY |
|  | Model: 10S20C Clutch: 130/PV6 Voltage: 12V Refrigerant: R134a Displacement: OEM No: | Application: HONDA ACCORD |
|  | Model: 10S20C Clutch: 135/PV6 Voltage: 12V Refrigerant: R134a Displacement: OEM No: | Application: HONDA ODYSSEY |
|  | Model: 10S20C Clutch: 110/PV4 Voltage: 12V Refrigerant: R134a Displacement: OEM No: | Application: CADILLAC ESCALADE(WITH PRESSURE SWITCH) |

| | | |
|---|--|---|
|  | Model: 10S20C Clutch: 110/PV4 Voltage: 12V Refrigerant: R134a Displacement: OEM No: | Application: CADILLAC ESCALADE(WITHOUT PRESSURE SWITCH) |
|  | Model: 10S20C Clutch: 130/PV6 Voltage: 12V Refrigerant: R134a Displacement: OEM No: | Application: CHRYSLER TOWN COUNTRY MINIVAN |
|  | Model: 10S17C Clutch: 120/PV7 Voltage: 12V Refrigerant: R134a Displacement: 178 OEM No: | Application: HONDA ODYSSEY |
|  | Model: 10S17C Clutch: 130/A Voltage: 12V Refrigerant: R134a Displacement: OEM No: | Application: CAT320C |
|  | Model: 10S17C Clutch: 130/PV7 Voltage: 12V Refrigerant: R134a Displacement: 178 OEM No: | Application: CAMRY |
|  | Model: 10S17C Clutch: 130/PV7 Voltage: 12V Refrigerant: R134a Displacement: 178 OEM No: | Application: HONDA ACCORD V4 |
|  | Model: 10S17C Clutch: 130/PV5 Voltage: 12V Refrigerant: R134a Displacement: OEM No: | Application: M/BENZ W203 |

| | | |
|---|--|---|
|  | Model: 10S17C Clutch: 140/PV8 Voltage: 12V Refrigerant: R134a Displacement: OEM No: | Application: CAT330C |
|  | Model: 10S17C Clutch: 120/PV7 Voltage: 12V Refrigerant: R134a Displacement: OEM No: | Application: MITSUBISHI V73 |
|  | Model: 10S17C Clutch: 120/PV7 Voltage: 12V Refrigerant: R134a Displacement: OEM No: | Application: TOYOTA PREVIA |
|  | Model: 10S17C Clutch: 130/PV4 Voltage: 12V Refrigerant: R134a Displacement: OEM No: | Application: CHRYLSER PT CRUISER |
|  | Model: 10S17C Clutch: 110/PV6 Voltage: 12V Refrigerant: R134a Displacement: OEM No: | Application: CHEVY SIVERADO |
|  | Model: 10S17C Clutch: 130/PV7 Voltage: 12V Refrigerant: R134a Displacement: OEM No: | Application: DODGE RAM |
|  | Model: 10S17C Clutch: 119/PV6 Voltage: 12V Refrigerant: R134a Displacement: OEM No: | Application: W/BENZ SPRINTER' 06 |

| | | |
|---|--|------------------------------------|
|  | Model: 10S17C Clutch: 110/PV5 Voltage: 12V Refrigerant: R134a Displacement: OEM No: | Application: BMW X5 3.0i |
|  | Model: 10S15C Clutch: 152/B Voltage: 12V Refrigerant: R134a Displacement: OEM No: | Application: KOMATSU |
|  | Model: 10S15C Clutch: 140/PV6 Voltage: 12V Refrigerant: R134a Displacement: OEM No: | Application: COROLLA |

7S Series

| | | |
|---|--|---|
|  | Model: 7SBU16C Clutch: 130/PV11 Voltage: 24V Refrigerant: R134a Displacement: 160 OEM No: 5412301311/5412300411 | Application: M/BENZ TRUCK |
|  | Model: 7SBU16C Clutch: 125/PV6 Voltage: 12V Refrigerant: R134a Displacement: 160 OEM No: 0002340911/ 000234241/ 0002306811/ 0002342011/0002342911 | Application: M/BENZ W210/W126/W140/VTTO CDI |
|  | Model: 7SBU16C Clutch: 132/PV6 Voltage: 12V Refrigerant: R134a Displacement: 160 OEM No: 46775049 / 46775049 | Application: ALFA ROMEO, FIAT, LANCIA |
|  | Model: 7SBU16C Clutch: 127/PV4 Voltage: 12V Refrigerant: R134a Displacement: 160 OEM No: 4B0260805C | Application: AUDI A4 A6 A8 , SKODA, PASSATA |

| | | |
|---|---|---|
|  | Model: 7SBU16C Clutch: 127/PV4 Voltage: 12V Refrigerant: R134a Displacement: 160 OEM No: 8D02608051-8D02608058 | Application: AUDI A4 A6, SKODA |
|  | Model: 7SBU16C Clutch: 108/PV5 Voltage: 12V Refrigerant: R134a Displacement: 160 OEM No: 64528385919 | Application: BMW Sr.5 E39 520 523 528 Sr.E38 728 |
|  | Model: 7SBU16C Clutch: 110/PV5 Voltage: 12V Refrigerant: R134a Displacement: 160 OEM No: 64526911340 | Application: BMW Sr.5 E39 520 523 528 530 Sr.E38 728 |
|  | Model: 7SBU16C Clutch: 126/PV4 Voltage: 12V Refrigerant: R134a Displacement: 160 OEM No: 64528385920 | Application: BMW Sr.5 E39 520 tds |
|  | Model: 7SBU16C Clutch: 110/PV4 Voltage: 12V Refrigerant: R134a Displacement: 160 OEM No: 64526916232 | Application: BMW X3 E83 3.0 |
|  | Model: 7SBU16C Clutch: 127/PV4 Voltage: 12V Refrigerant: R134a Displacement: 160 OEM No: 8D02608051-8D02608058 | Application: AUDI A4 A6, SKODA |
|  | Model: 7SBU16C Clutch: 126/PV6 Voltage: 12V Refrigerant: R134a Displacement: 160 OEM No: 0002302011-0002307011 | Application: BENZ W202 C220 E300 E250 C200 |

| | | |
|---|--|--|
|  | <p>Model: 7SBU16C Clutch: 137/PV9 Voltage: 24V Refrigerant: R134a Displacement: 160 OEM No:5412300611</p> | <p>Application: MERCEDES BENZ ACTROS</p> |
|  | <p>Model: 7SBU16C Clutch: 137/PV9 Voltage: 12V Refrigerant: R134a Displacement: 160 OEM No:5412300711</p> | <p>Application: MERCEDES BENZ ACTROS</p> |
|  | <p>Model: 7SBU16C Clutch: 115/PV6 Voltage: 12V Refrigerant: R134a Displacement: 160 OEM No: 6854001-24430319-9122120</p> | <p>Application: OPEL Zafira 2.0DI</p> |
|  | <p>Model: 7SBU16C Clutch: 108/PV6 Voltage: 12V Refrigerant: R134a Displacement: 160 OEM No: 1854148-24428118-90507617</p> | <p>Application: OPEL Vectra 2.5 V6</p> |
|  | <p>Model: 7SBU16C Clutch: 120/PV6 Voltage: 12V Refrigerant: R134a Displacement: 160 OEM No: 4B0260805B</p> | <p>Application: AUDI PASSAT</p> |
|  | <p>Model: 7SEU17C Clutch: 110/PV6 Pulley Distance: 45mm Refrigerant: R134a Displacement: 170 OEM No: 0002309111 /0012301211 / 0012301811/0012302911/0012305811</p> | <p>Application: M/BENZ W202C -CLASS'OOW220 S- CLASS S430</p> |
|  | <p>Model: 7SEU17C Clutch: 100/PV6 Pulley Distance: 45mm Refrigerant: R134a Displacement: OEM No: 0002309011/0002306511 /000230811/0012301411</p> | <p>Application: BMW</p> |

| | | |
|---|---|---|
|  | <p>Model: 7SEU17C Clutch: 100/PV4 Pully Distance: 48mm Refrigerant: R134a Displacement: OEM No: 64526917859-04</p> | <p>Application: AUDI A3 1.6, VW GLOF 2.0 1.4</p> |
|  | <p>Model: 7SEU17C Clutch: 110/PV6 Pully Distance: 59mm Refrigerant: R134a Displacement: OEM No: 1K0820803F</p> | <p>Application: AUDI A3 1.6 VW GOLF 2.0 1.4</p> |
|  | <p>Model: 7SEU17C Clutch: 110/PV4 Pully Distance: 66mm Refrigerant: R134a Displacement: OEM No: 8E0260805AB</p> | <p>Application: AUDI A4 1.9TDI</p> |
|  | <p>Model: 7SEU17C Clutch: 115/PV6 Pully Distance: 59.2mm Refrigerant: R134a Displacement: OEM No: 4B0260805H</p> | <p>Application: AUDI A6 3.0</p> |
|  | <p>Model: 7SEU17C Clutch: 120/PV7 Pully Distance: 61.8mm Refrigerant: R134a Displacement: OEM No: 4E0260805F</p> | <p>Application: MERCEDES BENZ W203 C200</p> |
|  | <p>Model: 7SEU17C Clutch: 119/PV7 Pully Distance: 49mm Refrigerant: R134a Displacement: OEM No: 0002306211-0002309711- 0012304511</p> | <p>Application: MERCEDES BENZ W203 C200</p> |
|  | <p>Model: 7SEU17C Clutch: 110/PV6 Pully Distance: 49mm Refrigerant: R134a Displacement: OEM No: 0002306511 SAME AS 7S60302</p> | <p>Application: MERCEDES BENZ W203 C200</p> |

| | | | |
|--|---|---|--|
| |  | Model: 7SEU17C Clutch: GIUNTO Pully Distance: Refrigerant: R134a Displacement: OEM No: 7H0820805C | Application: VW phaeton 5.0 |
| |  | Model: 7SEU17C Clutch: 100/PV6 Pully Distance: 45mm Refrigerant: R134a Displacement: OEM No:0012308211 | Application: MERCEDES BENZ W164 ML 5.0 V8 |
| |  | Model: 7SEU17C Clutch: 115/PV6 Pully Distance: 45mm Refrigerant: R134a Displacement: OEM No: 0012305611 | Application: MERCEDES W203 CLASSE C200 C320 |
| |  | Model: 7SEU17C Clutch: 100/PV6 Pully Distance: 45mm Refrigerant: R134a Displacement: OEM No: 0002309111 /0012301211 / 0012301811/0012302911/0012305811 | Application: M/BENZ W202C -CLASS'OOW220 S- CLASS S430 |
| |  | Model: 7SEU17C Clutch: 110/PV6 Pully Distance: 57mm Refrigerant: R134a Displacement: OEM No: | |